## XLIV. On the Conversion of Wind-charts into Passage-charts. By Francis Galton, F.R.S.\*

THE most direct line between two points of the ocean is seldom the quickest route for sailing-vessels. A compromise has always to be made between directness of route on the one hand, and the best chance of propitious winds and currents on the other. Hence it is justly argued that an inquiry into the distribution of the winds over all parts of the ocean is of high national importance to a seafaring people like ourselves. A knowledge of the distribution of the winds would clearly enable a calculation to be made which would show the most suitable passage in any given case.

But as a matter of fact, no calculations have yet been made upon this basis; much less have charts been contrived to enable

<sup>\*</sup> Communicated by the Author, having been read at the Meeting of the British Association, in Section  $\Lambda$ , on August 24, 1866.

a navigator to estimate by simple measurements the probable duration of a proposed passage. The wind-charts compiled by the Meteorological Department of the Board of Trade are seldom used by navigators; for they do not afford the results that seamen principally require; they only give data from which those results might be calculated by some hitherto unexplained process, which, we can easily foresee, must be an exceedingly tedious one.

To convert wind-charts, or the tables of wind-direction from which the wind-charts have been compiled, into passage-charts, we must ascertain the distances that ships of different classes would attain in an hour, if they made the best of their way under the same wind towards different points of the compass. With a moderate wind, a merchantman of the class that usually navigates the Atlantic will, by beating to windward, make 213 miles an hour, right in the wind's eye. At two points off the wind it will make 3 miles; at four, 4 miles; at six, 7 miles; at eight,  $8\frac{1}{2}$  miles; at ten, 9 miles; at twelve,  $9\frac{1}{2}$  miles; at fourteen, 83 miles; and at sixteen, or with the wind right astern, it will make  $7\frac{1}{2}$  miles. We must next turn to the wind-charts, or to the Tables from which they were compiled, to ascertain the proportion of the winds that blow from different points of the compass, in the region we are investigating. Thus in one particular case we find, out of one hundred observations, that six referred to N. winds, fourteen to N.N.E., seventeen to N.E., six to E.N.E., three to E., two to E.S.E., two to S.E., five to S.S.E., six to S., six to S.S.W., six to S.W., three to W.S.W., three to W., three to W.N.W., four to N.W., five to N.N.W., and nine calms. The force of the winds was not recorded in this instance; we must therefore, for want of better information, assume them to be moderate. We have now to calculate the progress that ships could make towards each point of the compass, under the several influences of each of these winds. In the example taken, the N. wind will be reckoned as lasting 6 per cent. of an hour, and therefore ships would be able to sail during its prevalence, '014 mile to the N., '018 to the N.N.E., and so on. The N.N.E. wind lasting 14 per cent. of an hour will enable ships to sail .042 mile to the N., .033 mile to N.N.E., and so on. The N.E., E.N.E., and all the other winds would have their influence similarly calculated. We thus obtain a Table of sixteen lines (not reckoning the line of zeros that correspond to "calms") and of sixteen columns, whose addition gives the total progress of one particular class of ships, in one hour, to all points of the compass, under the influence of the winds that blow in the ocean-district under consideration.

Method of Calculating Data for the Construction of a Passage-chart.


Corresponding passages in various directions (in nautical miles).	N.N.W.	18 119 51 52 52 53 54 52 112 112 112	589	5.9
	N.W.	426 446 447 77 447 447 447 447 447 447 447	652	6.5
	W.N.W.	26 113 153 153 157 157 157 158 158 159 159 159 159 159 159 159 159 159 159	683	8.9
	ă.	101 101 101 101 102 222 222 222 24 45 11 7 7 7 8 9 9 16 16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	989	6.9
	W.S.W.	75 133 143 143 143 143 144 145 145 146 147 148 148 148 148 149 149 149 149 149 149 149 149 149 149	899	2.9
	S.W.	121 127 127 128 288 18 178 18 19 9 9 19 19 19 19 19 19 19 19 19 19 19	632	6.9
	S.S.W.	105 1105 149 177 177 188 118 118 123 123 124 124 125 126 127 128 128 128 128 128 128 128 128 128 128	632	6.3
	vi	121   121   122   123   124   125   125	654	6.5
	S.S.E.	252 153 153 153 153 112 112 113 24 24 25 25 35 35 35	672	2.9
	S.E.	25 24 24 25 25 25 26 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	629	8.9
	E.S.E.	24 1119 1119 1119 1119 1119 1119 1119 11	661	9.9
	뼈	15 18 18 18 18 18 18 18 18 18 18 18 18 18	610	6.1
	E.N.E.	144   161   144   255   265   265	553	5.5
	N.E.	424 420 411 411 423 433 433 433 433 433 433 433 433 433	516	5.5
	N.N.E.	188 171 171 171 172 183 183 183 183 183 183 183 183 183 183	506	5.1
	z	44466888888888888888888888888888888888	530	5.3
Direction	of wind.	Calms. N.N.E. N.N.E. E.N.E. E.N.E. E.S.E. S.E.	All winds.	All winds.
	Hours of wind. of wind.	⊕ 5 ¼ ¼ 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	$\left\{ egin{array}{c} { t Total} \\ { t hours} \end{array}  ight\}$ 100	Or, in one hour. Ally

Wind-charts into Passage-charts.

The bottom line of the Table gives the results that we seek. In the case we have taken, the diagram in the Wind-chart and that in the Passage-chart would be of the following shapes respectively:—

Wind-chart Diagram.

Passage-chart Diagram, calculated from that of the Wind-chart.



The proportion of winds from the neighbourhood of each of sixteen points of the compass is shown by the length of the corresponding lines drawn to the leeward of the centre. The radius of the circle represents the proportion of calms.

The force of the winds is not given in this diagram. It must therefore be reckoned as "moderate" throughout. The probable length of an hour's sail in any direction from c, the centre of the diagram, is shown by the length of its radius in that direction. This gives a scale to be used throughout the ocean area to which the diagram refers.

Example.—Since AB is 41 times the length of the parallel radius cd, therefore the passage from A to B will occupy on an average 44 hours.

We should not be justified in usually adopting an "average force" for the winds, though, for simplicity of explanation, we selected the foregoing example, in which we were obliged to do so. If we confined our computation to the effect of simple averages, then an alternation of squalls and calms would be improperly reckoned as moderate weather. We must therefore group the winds, not necessarily to each degree of force, but, it may be, in two or perhaps three groups. The Tables would therefore consist not of sixteen lines, but of twice or thrice that number. For the rapid performance of these calculations we should tabulate the passages of various classes of ships to each of the sixteen points of the compass, under the influence of winds of, say, thirty different degrees of duration, and six of force, making a total of 180 lines for each class of ships. In each line the figures should be repeated, so as to sweep not only once but twice round the compass. If these are printed on separate slips of paper, the labour of copying them would be wholly avoided; for the same slips

could be used over again. An extract from the foregoing Table will suffice for an example of what is meant; where, in order to save space, the figures that refer to the eight principal points of the compass are alone inserted.

	N.N.E.E.S.S.E.S.W.W.N.W.
N. Hours 6 Force mod. 14 24 51 57 45 57 51	24 14 24 51 57 45 57 51 21
N.E. Hours 17 Force mod. 40 68 144 161 127 161	144 68 40 68 144 161 127 161 144 68
E Hours 3   Force mod   7 12 25 28 22	28 25 12 7 12 25 28 22 28 25 12
8.E Hours 2 Force mod. 5 8 17 19	15 19 17 8 5 8 17 19 15 19 17 8
8 Hours 6 Force mod. 14 24 51	57 45 57 51 24 14 24 51 57 45 57 51 24
8.W Hours 6 Force mod. 14 24	51 57 45 57 51 24 14 24 51 57 45 57 51 24
W Hours 3   Force mod.   7	12 25 28 22 28 25 12 7 12 25 28 22 28 25 12
N.W Hours 4 Force mod.	9 16 34 38 30 38 34 16 9 16 34 38 30 38 34 16
Tota	al.

If the slips were of sufficient length to include the data for every class of ship, a single operation would simultaneously build up Tables for all.

A navigator wishing to find the probable duration of his intended voyage, would refer to a chart on which the results of these calculations had been protracted in the form of diagrams. He must set his compasses to the radius of the diagram nearest to the commencement of his intended route, measuring it in a direction parallel to the route. He will thereby obtain a scale of probable distance for one hour's sail during that part of his voyage, and he will prick out his passage accordingly. When he has come within the range of another diagram he will set his compasses afresh. Continuing on this principle, he will dot out the probable duration of the whole of a proposed passage in the simplest possible manner. He will thus be able to select the quickest out of any number of routes that may be suggested to him, and to determine, on the most trustworthy of existing data, what is the best course to adopt in sailing from any one part of the ocean to another.

The method of altering a diagram so as to include the effect of a current, is too simple to require explanation.